

# TECHNICAL DATASHEET



## UNIPACK

Update on 10.02.2020

### 1. Description of product

<b>Product</b>	:	<b>UNIPACK self-adhesive document pouch</b>
<b>Size (outside dimension)</b>	:	C6, C5, C4 and LD (tolerance $\pm$ 5 mm) Special formats available
<b>Use</b>	:	For transport of freight accompanying documents, instruction sheets or other documents
<b>Manufacturer</b>	:	<b>Anton Debatin GmbH</b>

### 2. Material

Raw material	:	Polyethylene (LDPE) transparent Readable for scanner
Adhesive	:	Hotmelt with high adhesive power, solvent-free
Release paper	:	one-side siliconised, FSC <sup>®</sup> - certified <sup>1</sup>
Colours	:	solvent based pigment colours During the production process the solvent vapours are extracted and recycled thermally.

<sup>1</sup> FSC<sup>®</sup>-certified = responsible forest management

#### Anton Debatin GmbH

Vichystraße 6  
D - 76646 Bruchsal

Tel. +49 7251 8009 100  
Fax: +49 7251 8009 199  
vertrieb@debatin.de  
www.debatin.de

Commercial Register Court: Mannheim  
District Court HRB 230106

VAT no. DE 14 30 77 450  
CEO: Thomas Rose



## UNIPACK

Update on 10.02.2020



### 3. Closure system

The Unipack self-adhesive bag is characterized by the fact that the closure is clearly separated from the bag body. We achieve this by using a separate cover strip made of silicone paper.

Type of Closure 1	:	adhesive closure (bag opening)
Type of Closure 2	:	reclosable closure
Type of Closure 3	:	without closure

### 4. Print

Flex print	:	One side, two colours – Red surface / black text „PACKING LIST“, „PACKING LIST – INVOICE“, „DOCUMENTS“, „DOCUMENTS ENCLOSED“, „DOCUMENTS CI-INCLUS“. Multilingual scripture
Special print	:	up to 4 colours possible

### 5. Sealing

Type of sealing	:	flat sealing on three sides
-----------------	---	-----------------------------

### 6. Packaging

C7	:	2.000 pieces / carton	-	106.000 pieces / pallet
C6 / LD	:	1.000 pieces / carton	-	96.000 pieces / pallet
C5	:	1.000 pieces / carton	-	72.000 pieces / pallet
C4	:	500 pieces / carton	-	36.000 pieces / pallet

Sub-packaging of 250 pieces possible.

#### Anton Debatin GmbH

Vichystraße 6  
D - 76646 Bruchsal

Tel. +49 7251 8009 100  
Fax: +49 7251 8009 199  
vertrieb@debatin.de  
www.debatin.de

Commercial Register Court: Mannheim  
District Court HRB 230106

VAT no. DE 14 30 77 450  
CEO: Thomas Rose

MEMBER OF  
**DERIBA GROUP**  
PACKAGING SOLUTIONS



# TECHNICAL DATASHEET



## UNIPACK

Update on 10.02.2020



---

### 7. Processing

After removing the protection paper, press firmly over the entire bag surface. The bags should be fixed at temperatures  $>+ 10^{\circ}\text{C}$ .

---

### 8. Durability and Stocking

When kept in a dark and dry place at room temperature (between  $+10^{\circ}\text{C}$  and  $+30^{\circ}\text{C}$ ), the bags can be stored for at least 2 years.

---

### 9. Disposal

The product is recyclable, disposable in landfills (domestic waste), can be burnt in modern municipal waste incinerators.

---

### 10. Carbon neutral / natureOffice.com



The information presented in this leaflet is based on our present level of technical knowledge and experience and reflects averages. Due to the abundance of possible influences during the use and application of our products this information does not relieve the user of conducting his own tests and experiments. No legally binding guarantee of certain features or of suitability for any particular purpose can be deducted from it. Possible patent rights and existing laws and regulations must be observed by the user as his own responsibility. Technical modifications reserved.

#### Anton Debatin GmbH

Vichystraße 6  
D - 76646 Bruchsal

Tel. +49 7251 8009 100  
Fax: +49 7251 8009 199  
vertrieb@debatin.de  
www.debatin.de

Commercial Register Court: Mannheim  
District Court HRB 230106

VAT no. DE 14 30 77 450  
CEO: Thomas Rose

